

HEAD  
RETAINER  
SCREWS

Ø1.5

BLUE

RED

YELLOW

DATAPLATE

TURRET

TURRET LATCH

2.0[51] MAX


1.4[35]

| CONTACT                     | POSITIONER AND<br>MATING END<br>COLOR | 26 | 24 | 22 | 20 | 18 | 16 | 14 | 12 | WIRE SIZE           |
|-----------------------------|---------------------------------------|----|----|----|----|----|----|----|----|---------------------|
| 20-20                       | RED                                   | 1  | 2  | 3  | 4  |    |    |    |    | SELECTOR<br>SETTING |
| 16-22                       | BLUE                                  | 1  | 2  | 3  |    |    |    |    |    |                     |
| 16-20*                      |                                       | 1  | 2  | 3  | 4  |    |    |    |    |                     |
| 16-16                       |                                       |    |    |    | 4  | 5  | 6  |    |    |                     |
| 12-16                       | YELLOW                                |    |    |    |    | 5  | 6  |    |    |                     |
| 12-12                       |                                       |    |    |    |    |    |    | 7  | 8  |                     |
| USE WITH CRIMP TOOL FP44440 |                                       |    |    |    |    |    |    |    |    |                     |

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE  
SOLE PROPERTY OF SOLID SEALING TECHNOLOGY. ANY  
REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN  
PERMISSION OF SOLID SEALING TECHNOLOGY IS PROHIBITED.

THIRD ANGLE  
PROJECTION



TITLE

LOCATOR



**SOLID SEALING**  
TECHNOLOGY

| REV. | APP'D | DATE       | SCALE 1:1 | DIMENSIONS IN<br>INCHES [mm] | DRAWN     | CH | 11/11/2024 |
|------|-------|------------|-----------|------------------------------|-----------|----|------------|
| A1   | JF    | 01/22/2025 | -         |                              | ENG APPR. | JF | 01/22/2025 |


PART NO. FP44441 REV. A1

WWW.SOLIDSEALING.COM


SALES DWG NO. FP44441SL REV. A1

***DIMENSIONS ARE FOR REFERENCE ONLY. UNLESS NOTED, NO TOLERANCES ARE IMPLIED. CONSULT SST TO DISCUSS YOUR SPECIFIC REQUIREMENTS.***


## 3 PINS




SINGLE ENDED  
FEEDTHROUGH:  
FA16820



DOUBLE ENDED  
FEEDTHROUGH:  
FA16822




AIR SIDE PLUG (CRIMP): KT18063  
AIR SIDE PLUG (SOLDER): FP18062




VACUUM SIDE PLUG  
(DOUBLE ENDED ONLY):  
FA18064


## 6 PINS




SINGLE ENDED  
FEEDTHROUGH:  
FA16808



DOUBLE ENDED  
FEEDTHROUGH:  
FA16809\*




AIR SIDE PLUG (CRIMP): KT18065\*  
AIR SIDE PLUG (SOLDER): FP18066




VACUUM SIDE PLUG  
(DOUBLE ENDED ONLY):  
FA18067\*

\*THERMOCOUPLE TYPE K  
OPTION AVAILABLE


## 10 PINS




SINGLE ENDED  
FEEDTHROUGH:  
FA13003



DOUBLE ENDED  
FEEDTHROUGH:  
FA12933\*



AIR SIDE PLUG (CRIMP): KT14378\*  
AIR SIDE PLUG (SOLDER): FP14900




VACUUM SIDE PLUG  
(DOUBLE ENDED ONLY):  
FA13461\*

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE  
SOLE PROPERTY OF SOLID SEALING TECHNOLOGY. ANY  
REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN  
PERMISSION OF SOLID SEALING TECHNOLOGY IS PROHIBITED.

THIRD ANGLE  
PROJECTION



TITLE

26482 SERIES FAMILY



**SOLID SEALING**  
TECHNOLOGY

| REV. | APP'D | DATE       | SCALE 1:1   | DIMENSIONS IN<br>INCHES [mm] | DRAWN | CW        | 8/19/2021 |
|------|-------|------------|-------------|------------------------------|-------|-----------|-----------|
| A2   | JF    | 01/22/2025 | MPCL0163-11 | ENG APPR.                    | JF    | 1/27/2022 |           |


REV: A2

WWW.SOLIDSEALING.COM


SALES DWG NO. 26482\_SERIES REV. A2

***DIMENSIONS ARE FOR REFERENCE ONLY. UNLESS NOTED, NO TOLERANCES ARE IMPLIED. CONSULT SST TO DISCUSS YOUR SPECIFIC REQUIREMENTS.***


## 19 PINS




SINGLE ENDED  
FEEDTHROUGH:  
FA13002



DOUBLE ENDED  
FEEDTHROUGH:  
FA12932\*




AIR SIDE PLUG (CRIMP): KT14379\*  
AIR SIDE PLUG (SOLDER): FP14901




VACUUM SIDE PLUG  
(DOUBLE ENDED ONLY):  
FA13462\*


## 32 PINS




SINGLE ENDED  
FEEDTHROUGH:  
FA13001



DOUBLE ENDED  
FEEDTHROUGH:  
FA12931\*




AIR SIDE PLUG (CRIMP): KT14380\*  
AIR SIDE PLUG (SOLDER): FP14902




VACUUM SIDE PLUG  
(DOUBLE ENDED ONLY):  
FA13463\*

\*THERMOCOUPLE TYPE K  
OPTION AVAILABLE


## 41 PINS




SINGLE ENDED  
FEEDTHROUGH:  
FA12998



DOUBLE ENDED  
FEEDTHROUGH:  
FA12930



AIR SIDE PLUG (CRIMP): KT14381  
AIR SIDE PLUG (SOLDER): FP14903




VACUUM SIDE PLUG  
(DOUBLE ENDED ONLY):  
FA13464

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE  
SOLE PROPERTY OF SOLID SEALING TECHNOLOGY. ANY  
REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN  
PERMISSION OF SOLID SEALING TECHNOLOGY IS PROHIBITED.

THIRD ANGLE  
PROJECTION



TITLE

26482 SERIES FAMILY



**SOLID SEALING**  
TECHNOLOGY

| REV. | APP'D | DATE       | SCALE 1:1   | DIMENSIONS IN<br>INCHES [mm] | DRAWN     | CW | 8/19/2021 |
|------|-------|------------|-------------|------------------------------|-----------|----|-----------|
| A2   | JF    | 01/22/2025 | MPCL0054-02 |                              | ENG APPR. | JF | 1/27/2022 |


REV: A2

WWW.SOLIDSEALING.COM


SALES DWG NO. 26482\_SERIES REV. A2

***DIMENSIONS ARE FOR REFERENCE ONLY. UNLESS NOTED, NO TOLERANCES ARE IMPLIED. CONSULT SST TO DISCUSS YOUR SPECIFIC REQUIREMENTS.***


# CONTACTS/WIRE/CRIMP TOOL/LOCATOR




CRIMP CONTACTS  
 KT13353 (COPPER ALLOY)  
 KT13353-02 (CHROMEL)\*\*  
 KT13353-03 (ALUMEL)\*\*  
 KT13353-11 (COPPER ALLOY,  
 NO COLOR BANDS)



LOCATOR  
 FP44441  
 (USED WITH FP44440)




22 AWG WIRE  
 KAPTON  
 (CUSTOM LENGTHS AVAILABLE)  
 FA15065



CRIMP TOOL  
 FP44440

**\*\*THERMOCOUPLE TYPE K CRIMP CONTACTS**

|   |       |            |              |                              |           |                              |           |  |                                    |
|---|-------|------------|--------------|------------------------------|-----------|------------------------------|-----------|--|------------------------------------|
| PROPRIETARY AND CONFIDENTIAL<br>THE INFORMATION CONTAINED IN THIS DRAWING IS THE<br>SOLE PROPERTY OF SOLID SEALING TECHNOLOGY. ANY<br>REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN<br>PERMISSION OF SOLID SEALING TECHNOLOGY IS PROHIBITED. |       |            |              | THIRD ANGLE<br>PROJECTION    |           | TITLE<br>26482 SERIES FAMILY |           |  <b>SOLID SEALING</b><br>TECHNOLOGY |                                    |
| REV.  | APP'D | DATE       | SCALE 1:1    | DIMENSIONS IN<br>INCHES [mm] | DRAWN     | CW                           | 8/19/2021 | REV: A2  | WWW.SOLIDSEALING.COM               |
| A2  | JF    | 01/22/2025 | ACDCN010-1ST |                              | ENG APPR. | JF                           | 1/27/2022 |  | SALES DWG NO. 26482_SERIES REV. A2 |

***DIMENSIONS ARE FOR REFERENCE ONLY. UNLESS NOTED, NO TOLERANCES ARE IMPLIED. CONSULT SST TO DISCUSS YOUR SPECIFIC REQUIREMENTS.***