


WELDABLE FIBER OPTIC FEEDTHROUGHS

ST-FC

FA35760 - MULTIMODE
FA37638 - SINGLEMODE

AIR




VAC/
PRESSURE

FC-FC

FA35761 - MULTIMODE
FA37639 - SINGLEMODE

AIR




VAC/
PRESSURE

FC-ST

FA35877 - MULTIMODE
FA37643 - SINGLEMODE

AIR




VAC/
PRESSURE

ST-ST

FA35762 - MULTIMODE
FA37640 - SINGLEMODE

AIR




VAC/
PRESSURE

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SOLID SEALING TECHNOLOGY. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SOLID SEALING TECHNOLOGY IS PROHIBITED.

THIRD ANGLE
PROJECTION



TITLE

FIBER OPTIC ADAPTER P/N'S



**SOLID SEALING
TECHNOLOGY**

REV.	APP'D	DATE	SCALE 2.5:1	DIMENSIONS IN INCHES [mm]	DRAWN	JF	12/4/2020
A3	HJ	07/21/21	FOFDN001-12		ENG APPR.	JF	12/4/2020

FIBER OPTIC PRODUCTS REV A3


WWW.SOLIDSEALING.COM

SALES DWG NO. OF_SINGLE_PIN REV A3 REV. A3

DIMENSIONS ARE FOR REFERENCE ONLY. UNLESS NOTED, NO TOLERANCES ARE IMPLIED. CONSULT SST TO DISCUSS YOUR SPECIFIC REQUIREMENTS.

JAMNUT/BASE PLATE FIBER OPTIC FEEDTHROUGHS


ST-FC FA38300 - MULTIMODE
FA38322 - SINGLEMODE



AIR

VAC/
PRESSURE


ST-ST FA38296 - MULTIMODE
FA38324 - SINGLEMODE



AIR

VAC/
PRESSURE


FC-FC FA38301 - MULTIMODE
FA38323 - SINGLEMODE



AIR

VAC/
PRESSURE

FC-ST FA38304 - MULTIMODE
FA38327 - SINGLEMODE




AIR

VAC/
PRESSURE

ACCESSORIES FOR JAMNUT/BASEPLATE FEEDTHROUGHS


STAINLESS STEEL PANEL NUT

FP38340



O-RING


PART NUMBER	MATERIAL
FP38345	VITON
FP38345-02	FLUORINATED SILICONE
FP38345-03	BUNA-N
FP38345-04	KALREZ 6230
FP38345-05	EPDM



PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SOLID SEALING TECHNOLOGY. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SOLID SEALING TECHNOLOGY IS PROHIBITED.

THIRD ANGLE
PROJECTION



TITLE

FIBER OPTIC ADAPTER P/N'S



**SOLID SEALING
TECHNOLOGY**

REV.	APP'D	DATE	SCALE 1.5:1	DIMENSIONS IN INCHES [mm]	DRAWN	JF	12/4/2020
A3	HJ	07/21/21	FOFDN001-28		ENG APPR.	JF	12/4/2020

FIBER OPTIC PRODUCTS REV A3

WWW.SOLIDSEALING.COM


SALES DWG NO. OF_SINGLE_PIN REV A3 REV. A3

DIMENSIONS ARE FOR REFERENCE ONLY. UNLESS NOTED, NO TOLERANCES ARE IMPLIED. CONSULT SST TO DISCUSS YOUR SPECIFIC REQUIREMENTS.

BORE MOUNT FIBER OPTIC FEEDTHROUGHS

ST-FC


FA38318 - MULTIMODE
FA38328 - SINGLEMODE



VAC/
PRESSURE

FC-FC


FA38316 - MULTIMODE
FA38329 - SINGLEMODE



VAC/
PRESSURE

ST-ST


FA38315 - MULTIMODE
FA38330 - SINGLEMODE



VAC/
PRESSURE

FC-ST

FA38314 - MULTIMODE
FA38331 - SINGLEMODE




VAC/
PRESSURE

ACCESSORIES FOR BORE MOUNT FEEDTHROUGHS


O-RING (TWO REQUIRED PER ASSEMBLY)

PART NUMBER	MATERIAL
FP38354	VITON
FP38354-02	FLUORINATED SILICONE
FP38354-03	BUNA-N
FP38354-04	KALREZ 6230
FP38354-05	EPDM



INTERNAL RETAINING RING (STAINLESS)


FP38361



PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SOLID SEALING TECHNOLOGY. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SOLID SEALING TECHNOLOGY IS PROHIBITED.

THIRD ANGLE
PROJECTION



TITLE

FIBER OPTIC ADAPTER P/N'S



REV.	APP'D	DATE	SCALE 1.5:1	DIMENSIONS IN INCHES [mm]	DRAWN	JF	12/4/2020
A3	HJ	07/21/21	FOFDN001-29		ENG APPR.	JF	12/4/2020

FIBER OPTIC PRODUCTS REV A3

WWW.SOLIDSEALING.COM

SALES DWG NO. OF_SINGLE_PIN REV A3 REV. A3

DIMENSIONS ARE FOR REFERENCE ONLY. UNLESS NOTED, NO TOLERANCES ARE IMPLIED. CONSULT SST TO DISCUSS YOUR SPECIFIC REQUIREMENTS.